






One West Otterson Street, Nashua, New Hampshire 03060. ph: (603)883-7979 fax: (603)883-3266
 Email: sales@cepoint.com Website: <http://www.cepoint.com>

R-STOR™ NAS SATA, iSCSI and Fibre-Channel RAID Storage Server SUB-SYSTEMS PRICE LIST*** (Summer 2005)

Model Part No.:	Description	Reseller Price
RS212	 <p>RS212 12-Bay 2U Rack Mount SATA. Ext. 2 x SCSI Ports , 2 x Gigabit NIC, RAID Levels 0, 1, 5, 10, 50, JBOD. Integrated RISC processor with XOR RAID engine, Disk Bus Serial ATA, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager software + Hassle free NAS/SAN Management support</p>	Upto 6TB storage From \$2,999 w/2.4TB
	<p>RS-212SC 12-Bay 2U Rack Mount SCSI-SCSI, 2 x SCSI Ports, 2 x Gigabit NIC, RAID Levels 0, 1, 3, 5, 10, 30, 50, JBOD. RISC processor with XOR RAID engine, SCSI Disk Bus, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring., Secure IP features 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager + Hassle free NAS/SAN Management support</p>	\$call for (SCSI drives)
RA212	 <p>RA212 12-Bay 2U Rack Mount SATA. Ext. 2 x SCSI Ports , 2 x Gigabit NIC, RAID Levels 0, 1, 5, 10, 50, JBOD. Integrated RISC processor with XOR RAID engine, Disk Bus Serial ATA, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager software + Hassle free NAS/SAN Management support</p>	From \$2,999 w/ 2.4TB
RS316	 <p>RS316-Bay 3U Rack Mount SATA-NAS , 2x SCSI Ports, 2 x Gigabit, RAID Levels 0, 1, 5, 10, 50, JBOD. Integrated RISC processor with XOR RAID engine, Disk Bus Serial ATA, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager software + Hassle free NAS/SAN Management support</p>	Upto 8TB storage From \$2,984 RS316-FC (2 Channel 2Gb/s Fibre Ch ports from \$3,995

<p>RS-316SC</p> 	<p>RS-316SC 16-Bay 3U Rack Mount SCSI-SATA, Ext. 2 x SCSI Ports, 1 x Ethernet NIC, RAID Levels 0, 1, 3, 5, 10, 30, 50, JBOD. RISC processor with XOR RAID engine, SCSI Disk Bus, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager + Hassle free NAS/SAN Management support</p>	<p>iSCSI SAN features from \$3,995</p> <p>RS-316SC Upto 8TB storage From \$4,950</p>
<p>Rx524 or Rx524FCS</p> 	<p>Rx524 / Rx524FCS 24-Bay 5U Rack Mount (Horizontal Mount) Serial-ATA (SATA) RAID Levels 0, 1, 5, 10, 50, JBOD. RISC processor with XOR RAID engine, 2 X SCSI or 2Gb/s Fibre Channel Ports, 2 x Gigabit NIC, Disk Bus Serial ATA, 512MB Cache RAM, IPsec, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. 900W Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI Raid Manager + Hassle free SAN Management software support</p>	<p>From \$7,995 up to 12TB</p> <p>Rx524FCS (2-Ch 2Gb/s Fibre or iSCSI features ..\$8,500</p>
<p>RAS316</p> 	<p>RAS-316-Bay 3U Rack Mount SATA-SCSI , 2x SCSI Ports, 2 X GB/s NIC, RAID Levels 0, 1, 5, 10, 50, JBOD. Integrated RISC processor with XOR RAID engine, Disk Bus Serial ATA, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager software + Hassle free NAS/SAN Management support</p>	<p>\$7,984.50 w/4TB</p> <p>RS316-FC (2 Channel 2Gb/s Fibre Ch ports \$10,995.50</p>
<p>V-STOR™</p>	<p>New Desktop or portable video editing storage VS-5 Portable HDTV Storage system up to 2.5TB</p>	<p>\$5,998</p>

<p>NAS2400</p> 	<p>NAS2400 4-Bay 1U Rack mount SATA RAID Levels 0, 1, 5, 10 and JBOD , Gigabit NIC, 400W P/S, Swappable HDD Trays. Hot-spare drive support with automatic rebuild. Hot-swap drive for easy replacement GUI RAID Manager software + NAS management support.</p>	<p>Store up to 2TB in 1U space \$1,999 w/1TB</p>
<p>NAS2600</p> 	<p>NAS2600 6-Bay 2U Rack mount SATA RAID Levels 0, 1, 5, 10 and JBOD 600W P/S, Swappable HDD Trays, Gigabit NIC. Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring Hot-spare drive support with automatic rebuild. Hot-swap drive for easy replacement. GUI RAID software + NAS management support.</p>	<p>Upto 3TB in 2U Price \$2,295. w/1.5TB</p>
<p>NAS2611</p> 	<p>NAS-2611 6-Bay, EIDE (Parallel-ATA)-Ultra 160 SCSI 2U Rack Mount RAID, 2 x SCSI Ports, Gigabit NIC, Intel RISC CPU 128 MB RAM, 300W Redundant Hot Swap P/S, Hot Swap HDD Trays Max Capacity- up to 1.2TB. GUI raid software + NAS management support</p>	<p>Upto 3TB From \$3,695</p>
<p>RA314</p> 	<p>RA314 14-Bay 3U Rack Mount SATA. Ext. 2 x SCSI Ports RAID Levels 0, 1, 5, 10, 50, JBOD. Integrated RISC processor with XOR RAID engine, Gigabit NIC, Disk Bus Serial ATA, 128MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager software + Hassle free NAS/SAN Management support</p>	<p>\$6,984.50 with 3.5TB RA314FC (2-Ch 2Gb/s fibre host ports \$10,479.50</p>
<p>RA315</p> 	<p>RA315 15-Bay 3U Rack Mount SATA-iSCSI or FC RAID Levels 0, 1, 5, 10, 50, JBOD. 2 x SCSI Ports, Gigabit Ethernet, Intel 80303 RISC CPU, Integrated RISC processor with XOR RAID engine, Disk Bus Serial ATA, 128MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager software + Hassle free NAS/SAN Management support</p>	<p>\$10,579.50 w/4.8TB RA315-iS or RA315FC (iSCSI or 2-Ch 2Gb/s fibre ports \$11,495)</p>
<p>RS-208</p>	<p>RS-208 8-Bay 2U Rack Mount SATA. Ext. 2 x SCSI Ports , 2 x Gigabit NIC, RAID Levels 0, 1, 5, 10, 50, JBOD. Integrated RISC processor with XOR RAID engine, Disk Bus Serial ATA, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP</p>	<p>Upto 4TB storage From \$2,997</p>

RA316



features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. **GUI RAID Manager software + Hassle free NAS/SAN Management support**

\$10,984.50 with 4TB

RA316-iS or RA316-FC iSCSI or 2-Ch 2 Gb/s fibre ports \$12,995

RA-316 16-Bay 3U Rack Mount SATA-SCSI, 2 x SCSI ports, 2 x Gigabit, iSCSI or FC-AL 2Gb/s Fibre Channel RAID Levels 0, 1, 5, 10, 50, JBOD. RISC CPU, Disk Bus Serial ATA, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays and Gigabit NIC. **GUI Raid Manager + Hassle free NAS/SAN support**

RAS3160



RAS 3160 16-Bay 3U Rack Mount (Vertical Mount option)SATA-FC-AL 2GB/s Fibre Channel RAID Levels 0, 1, 5, 10, 50, JBOD. RISC CPU, Disk Bus Serial ATA, 512MB CacheRAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 3 Redundant Hot Swap P/S, LCD panel mangt. Display, Hot Swap HDD Trays. **GUI Raid Manager + Hassle free NAS/SAN support**

\$5,994 w/o drives

Upto 8TB

Rx424



Rx424 24-Bay 5U Rack Mount (Horizontal Mount) Serial-ATA (SATA) RAID Levels 0, 1, 5, 10, 50, JBOD. RISC processor with XOR RAID engine, Ext. 2 X SCSI or 2Gb/s Fibre Channel Ports, Gigabit NIC, Disk Bus Serial ATA, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 900W Redundant Hot Swap P/S, Hot Swap HDD Trays. **GUI Raid Manager + Hassle free NAS/SAN support**

\$14,289 with 12TB

Rx524FCS (2-Ch 2Gb/s Fibre or iSCSI features ..\$16,089

Rx416



Rx416- 16-Bay 4U Rack Mount SATA , Ext. 2x SCSI Ports, 2xGB/s NIC, RAID Levels 0, 1, 5, 10, 50, JBOD. Integrated RISC processor with XOR RAID engine, Disk Bus Serial ATA, 512MB RAM, Multiple logical volumes, Hot-swap and hot-spare support, Dynamic sector repair, S.M.A.R.T disk drive monitoring. Secure IP features, 300W x 2 Redundant Hot Swap P/S, Hot Swap HDD Trays. **GUI RAID Manager software + Hassle free NAS/SAN Management support**

\$7,984. with 4TB

Rx416-FC iSCSI or 2 Gb/s fibre ports \$8,995

TransPAC-6300RS©

TRS-6300 Rugged industrial Transportable RAID-5 Lunbox workstation/ Server with 1.5TB storage, Dual intel

\$10,995

RS316-DAS		Pentium Xeon 3.06GHz processors, 2GB ECC Reg. DDRAM, DVD +RW and 15" TFT color display	RS316-DAS Upto 8TB storage From \$4,950
Mini-DV Raid (Replaces DT Mini DV Raid)		Desktop Mini-Digital Video RAID 4-bay IDE ATA Raid 0, 1, 5, RAID 5 with Hot-spare Hot-swap, IPsec features Gigabit Ethernet and 10/100 Base-T Interface, NAS Ideal for space limited workstation. Complements Cepoint's Studio9000 Non-Linear Digital Video Editor or Sony, Leitch, Targa and others. GUI RAID Manager software + Hassle free NAS support	\$2,975.00 w/1TB *** May take longer shipping time due to demand.
MAI-9F12		Arena Maxtronic MAI-9F12 12-Bay 2GbFC-IDE 4U Rack Mount RAID, Intel 80303 RISC CPU, Dual Channel Host Connection Option, 128MB RAM, 300W x 3 Redundant Hot Swap P/S, Hot Swap HDD Trays. GUI RAID Manager software + Hassle free NAS support.	\$5,995.00 w/o drives. \$7,779 w/3 TB

***** NOTE:**

- 1) Prices listed are OEM pricing only for systems integrators and authorized resellers. Educational institutions, Hospitals, Schools and universities may qualify for OEM pricing or educational discounts and prices are subject to change without notice. Cepoint Networks may periodically review its pricing with Resellers.
- 2) Systems above are RAID server ready subsystems. Please call or email for Bare (JBOD) systems pricing.
- 3) *** JBOD bare chassis does not come with Controllers, software or cables. JBOD bare chassis or enclosures only comes with enclosure, power supply and drive trays (EFFECTIVE JANUARY 15 2004, CEPOINT NO LONGER SHIPS BARE JBOD's. ONLY FULLY CONFIGURED RAID SERVERS WILL BE SHIPPED.
- 4) Battery back-up in some units are optional and not included in pricing

OPTIONAL SPARES (non-discounted):

SR26- RACK RAILS, 26" Depth Cabinet Slide Rails (Pair)	\$125
2U/3U 300 Watts Redundant Hot Swap power supply	\$790
1000 Watts Power supply	\$1,150
250GB Serial –ATA Drive Module replacement	\$225
73GB/146GB/181GB SCSI HDD	\$call
1"H SATA Drive Hot swap Trays.....	\$45 ea
SATA Drive Cable 1M	\$25 ea

©2004.Cepoint Networks, LLC. All rights reserved. Cepoint, Cepoint Networks, R-STOR™ are trade names or trademarks of Cepoint Networks, LLC. All other trade marks are properties of their respective owners. For more information Contact: sales@cepoint.com Phone: (603)883-7979 Website: <http://www.cepoint.com> Cepoint storage array sub-systems are manufactured and tested with the best industrial parts and components that have been subjected to the highest quality process in the industry. Pictures or photos shown are for illustration purposes only, and does not necessarily show the actual colors or exact product(s). Specifications may be subject to change without notice. Prices listed are OEM pricing only for systems integrators and authorized resellers. Cepoint reserves the right to review its pricing without prior notice. All sales are final.

TERMS OF PAYMENT:

50% deposit and balance COD for established and approved accounts. ALL new Accounts requires Prepayment by T/T, EFT (Electronic Fund Transfer)/Wire Transfer, Money order, Certified bank check or company check (US based companies only). International orders T/T or EFT only.

Delivery Time Schedule:

Please allow 7-14 days for delivery and 3-4 weeks for delivery of out of stock parts. International sales, please allow 3 – 4 weeks for delivery. Prices and specifications are subject to change without prior notice. Please email your custom requirements for pricing that meets your configuration or applications environment. Prices are FOB Nashua, NH. U.S.A

Limited Warranty:

Systems are warranted for 3-years. Disk Drive warranties are 3-years, except as may be specified by the drive manufacturer. Cepoint will replace or repair defective or DOA units with an authorized RMA.

Cepoint Networks, LLC. warrants that the product(s) that it manufactures and sells will be free from defects in materials and workmanship for a period of Three (3) year from the date of shipment. If a product proves defective during this warranty period, Cepoint Networks, at its option or discretion, either will repair the defective product without charge for parts and labor, or will provide a replacement in exchange for the defective product(s). ALL SALES ARE FINAL AND CEPOINT WILL NOT ACCEPT RETURNS WITHOUT WRITTEN CONSENT OF THE COMPANY. RETURNS FOR EXCHANGE MUST BE MADE WITHIN 10-DAYS FROM DAY OF SHIPMENT. AFTER 10-DAYS RETURNS RECEIVED WILL ONLY BE REPAIRED.

In order to obtain service under this warranty, Customer must notify Cepoint of the defect before expiration of the warranty period and make suitable arrangement for the performance of service. Customer shall be responsible for packaging and shipping the defective product(s) to the service center designated by Cepoint, with shipping charges prepaid. Cepoint shall pay for return of the product to customer if the shipment is to location within the country in which Cepoint Networks service center is located. Customer shall be responsible for paying all shipping charges, duties, taxes, and any other charges for products returned to any other location(s).

This warranty shall not apply to any alteration, defect, failure or damage caused by improper use or improper or inadequate maintenance and care. Cepoint shall not be obligated to furnish service under this warranty a) to repair damage resulting from attempts by personnel other than Cepoint representative to install, repair or service the product; b) to repair damage resulting from improper use or connection to incompatible equipment; c) to repair any damage or malfunction caused by customer's actions or attempts to modify the product(s).

THIS WARRANTY IS GIVEN IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED. CEPOINT NETWORKS, LLC. AND ITS VENDORS DISCLAIM ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. CEPOINT NETWORKS' RESPONSIBILITY TO REPAIR OR REPLACE DEFECTIVE PRODUCTS IS THE SOLE AND EXCLUSIVE REMEDY PROVIDED TO THE CUSTOMER FOR BREACH OF THIS WARRANTY. CEPOINT NETWORKS AND ITS VENDORS WILL NOT BE LIABLE FOR ANY DIRECT OR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OR LOSS OF REVENUE OR BUSINESS LOSS IRRESPECTIVE OF WHETHER CEPOINT OR THE VENDOR HAS ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES OR LOSS. FOR COMPLETE DETAILS OF COMPANY'S TERMS AND CONDITIONS POLICY PLEASE read company's full policy link in homepage website